Supermarket Parts Warehouse

Toll Free: 800-767-9855

Highest Quality Replacement Parts & Much More... In Less Time... With Less Hassle... For Less Money!!

SMPW Convenience Store Guide

Supermarket Parts Warehouse | 510 Wild Turnpike | Mountaindale, NY 12763
Phone: 845.436.6000 | Fax: 845.436.7677 | Toll Free: 800.767.9855
Order Online: www.smpw.com

Introduction

Supermarket Parts Warehouse has been in business since 1998, selling direct replacement parts for Hill, Hussmann, Tyler, Kysor-Warren, and Zero Zone cases. Represented here is the newest version of our catalog, please take a minute to see what we have to offer. What you will find is a catalog that is not only the easiest to use, but will save you TIME and MONEY because of it.

SMPW supplies Direct Replacement Parts for these cases. We don't sell you something that you can "make fit." Our catalog is fully cross-referenced to the original manufacturers' case model and part numbers to make your identification of parts and ordering a breeze.

As of 2011, SMPW is proud to announce the addition of our sales representatives to the SMPW family. Our Sales Reps are here to provide you with the same customer service our customers are used to, but at a local level. So please feel free to contact your local sales rep today!

We have always had our focus directed towards Supermarkets. For the last 14+ years we have been saving Supermarkets and Contractors 30%-80% off of parts used daily in stores. We have become very successful in Supermarkets because of our pricing and our ability to provide excellent customer service and 24 hour shipping. This Convenience Store Guide is our way of bringing that tremendous service and savings to the Convenience Store Market. We have highlighted many of the more commonly used items from our product line and also added many great new items specifically for Convenience Stores. So please give us or one of your local sales representatives a call today to receive a full catalog or find out more about how we can help you and your organization!

Region 1

Advanced Equipment Sales
Office: 781-784-2731
Fax: 781-784-9706
www.aesgroup.net

Region 2

PLM and Associates, LLC
Office: 908-806-6242
Fax: 908-284-1742
Email: philemele@comcast.net

Region 3

Supermarket Systems
Office: 704-542-6000
Fax: 704-542-9969
Email: smsbill3@bellsouth.net
www.supermarketsystems.com

Region 4

Group Four Retail Equipment
Office: 800-326-2460
Fax: 574-271-8556
Email: grp4mktg@aol.com
www.storeequipment.com



Region 5

H.A. Hammer, Inc.
Office: 636-498-4881
Fax: 636-498-4881
Email: sales@hahammer.com
www.hahammer.com

Region 6

Store Source
Office: 972-660-3300
Fax: 972-660-3999
Email: storesource@sbcglobal.net
www.storesourceinc.com

Region 7

Fresh Sales Company
Office: 503-694-1211
Fax: 503-694-1252
Email: Paul Driscoll: pauld@freshsales.com
Email: Scott Driscoll: scottd@freshsales.com

TABLE OF CONTENTS

Introduction

Anthony & Ardco Door Parts 1

Replacement Door Gaskets - For Anthony, Ardco, Hussmann Innovator, & True 2 - 3

Behind Glass Box Braces, Supports, Wire Shelving, & Accessories 4 -5

Evaporator, ECM & High Efficiency Fan Motors 6

Wellington ECM Fan Motors 7

Display Case Shelving - For Door Cases & Refrigerated Display Cases 8 - 9

GreenWize Energy Solutions 10 - 11

Lozier In-Store Shelving 12

Electrical Components - Plugs/Receptacles, Lampholders, Electronic Ballasts, LED/CFL 13

T&S Brass Plumbing & Kason Door Hardware 14

RAMI Thermoshield Night Blinds & Thermometers 15

1 Source LED Lighting Fixtures

3LB Series LED 17

2LB Series LED 18

TL Series LED 19

High Performance Exterior LED Lighting - Gas Station Canopy & High Bay Fixtures 20

High Performance Exterior LED Lighting - Parking Lot / Wall Pack Fixtures 21

LED Sign Modules & LED Panel Lights 22

High Performance Replacement LED Lamps 23

CIT Series LED Fixtures for Walk-Ins 24

Order Form & Credit Application

Anthony & Ardco Door Parts



Stock No.	Description/ Fits Door Model	Anthony Part #	Weight
DHO-105	Hold Open Arm (1987-1995) 100, 101, 101EF, 400, 401, 403, 1000, 1001 10001EE, 1200, 2100, 2103, 5001	02-11807-0001	0.2 Lbs.
DHO-110	Hold Open Arm - Top Surface Mount (1995-Present) 100, 101, 101EF, 400, 401, 403, 1000, 1001 10001EE, 1200, 2100, 2103, 5001	15-14707-0001	0.2 Lbs.
DHW-100	Door Heater Wire (Please specify door size & BM#) 100, 101, 101EF, 103, 2100, 5001, 400, 401, 403, 1000, 1001, 1001EE, 1003, 1200, 6001, 7000, 8001 AOM, 1100, 1500	50-10632-0001	0.2 Lbs.
HOA-100	Hold Open Assembly (1987-1995) 100, 101, 101EF, 400, 401, 403, 1000, 1001 10001EE, 1200, 2100, 2103, 5001	02-11807-0002	0.5 Lbs.
HOA-110	Hold Open Assembly (1995-Present) 100, 101, 101EF, 400, 401, 403, 1000, 1001 10001EE, 1200, 2100, 2103, 5001	02-14649-0001	0.5 Lbs.
ATM-101	Reversible Torque Master (Silver) 100, 101, 101EF, 400, 401, 403, 1000, 1001 1001EE, 1200, 2100, 2103, 5001	02-10568-0001	0.3 Lbs.
HP1-100	Electrical Hinge Pin w/ Leads (Silver) 400, 401, 403, 1000, 1001, 1001EE, 1003, 1200	60-10847-0003	0.2 Lbs.
TQR-100	Torque Rod, 12" (HEX / 1989-Present) 100, 101, 101EF, 103, 2100, 5001, 400, 401, 403,1000, 1001, 1001EE, 1003, 1200, 6001, 7000, 8001 AOM	02-10308-0001	0.2 Lbs.
EHR-300	Electrical Hinge Pin Receptacle (Double / Reversible) 100, 101, 101EF, 103, 2100, 5001	60-12377-0001	0.2 Lbs.

Stock No.	Description	Ardco Part #	Weight
BMF-100	Bottom Mounting Frame Plate for Top Hold Open (Silver)	15-14983-0001	0.2 Lbs.
BRH-100	Top Left / Btm. Right Hinged Door	10-15783-0003	0.2 Lbs.
BRH-105	Top Right / Btm. Left Hinged Door	10-15783-0002	0.2 Lbs.
HPB-100	Hinge Pin w/ Bushing for Hold Open	77-17593G003	0.1 Lbs.
ATM-200	Torque Adjuster/Ratchet	02-15598-0002	0.2 Lbs.
TRQ-100	Torque Rod , 36-31/32"	15-15112	
HOF-100	Top Hold Open Fork (Silver)	15-14621-1001	0.3 Lbs.
HOF-100B	Top Hold Open Fork (Black)	15-14621-0001	0.3 Lbs.

Check out our website to see our full line of Anthony & Ardco Door Parts. You can also request a free catalog and create an online account.

All door parts are always in stock and available to ship the same day!

Gaskets for Anthony Doors

- Extruded Vinyl Gasket Material
- Extra Strength Magnets
- NSF Listed Gaskets
- For Best Results, heat with heat gun or boiling water before applying
- Door Sizes may vary up to 1/8”
- **Gasket Size is the Dart to Dart measurement of the gasket**
- **Door Size equals outside dimensions of the door**

Stock No.	Used On	Door Size	Gasket Size	Anthony Part #	Weight
GD5-301	Hussmann - RLW, RAC, RAF Various Zero-Zone Models	29-7/8” X 62-3/4”	28-15/16” X 61-7/8”	02-14160-2009	2.5 Lbs.
GD5-305	Hussmann - NRCV,RCVA	29-7/8” X 60-11/16”	29” X 59-7/8”	02-14160-2004	2.5 Lbs.
GD5-306	Tyler - T5FG,D5FG Older Model Tyler Door Cases	31” X 58-7/8”	29-7/8” X 57-15/16”		2.5 Lbs.
GD5-307	Tyler - P5FG, Newer Door Cases Hussmann - RL	29-15/16” X 64-15/16”	29” X 64”	02-14160-2007	2.5 Lbs.
GD5-312	Hussmann NRCV,RCVA Other Cases w/ Anthony Doors	29-3/4” X 60-1/8”	29” X 59-5/8”		2.5 Lbs.
GD5-318	Kysor Warren w/ Anthony Doors & Vertical Lights, IV5V, LV5V	29-1/4” X 60-3/16”	28-1/4” X 59-1/4”	02-14160-2011	2.4 Lbs.
GD5-319	Hill ZAR, ZER, BER	29-3/16” X 55-1/16”	28-3/8” X 54-3/16”		2.3 Lbs.
GD5-320	Common Anthony Doors	29-7/8” X 65-1/16”	28-3/4” X 63-7/8”	02-14160-2036	2.3 Lbs.
GD5-325	Common Anthony Doors	29-1/16” X 62-9/16”	27-15/16” X 61-3/8”	02-14160-2018	2.3 Lbs.
GD5-330	Common Anthony Doors	29-1/16” X 66-9/16”	27-15/16” X 65-3/8”	02-14160-2042	2.3 Lbs.
GD5-335	Common Anthony Doors	35-1/16” X 62-9/16”	33-15/16” X 61-3/8”		2.3 Lbs.
GD5-340	Common Anthony Doors	29-7/8” X 73-1/16”	28-3/4” X 71-7/8”	02-14160-2008	2.3 Lbs.
GD5-345	Common Anthony Doors	28-3/8” X 73-1/16”	27-1/4” X 71-7/8”	02-14160-2022	2.3 Lbs.
GD5-350	Common Anthony Doors	32-1/2” X 62-13/16”	31-3/8” X 61-5/8”	02-14160-2014	2.3 Lbs.
GD5-355	Common Anthony Doors	23-3/16” X 65-1/16”	22-1/16” X 63-7/8”		2.5 Lbs.
GD5-360	Common Anthony Doors	23-3/16” X 73-1/16”	22-1/16” X 71-7/8”	02-14160-2013	2.5 Lbs.
GD5-362	Common Anthony Doors	26-3/8” X 73-1/16”	25-1/4” X 71-7/8”	02-14160-2021	2.4 Lbs.
GD5-365	Common Anthony Doors	28-3/8” X 71-1/16”	27-1/4” X 69-7/8”	02-14160-2025	2.4 Lbs.
GD5-367	Common Anthony Doors	28-3/8” X 77-1/16”	27-1/4” X 75-7/8”	02-14160-2026	2.5 Lbs.
GD5-372	Common Anthony Doors	28-7/8” X 76-7/8”	27-3/4” X 75-11/16”	02-14160-2029	2.5 Lbs.
GD5-375	Common Anthony Doors	29-3/16” X 62-9/16”	28-1/16” X 61-3/8”	02-14160-2012	2.3 Lbs.
GD5-377	Common Anthony Doors	29-3/16” X 65-1/16”	28-1/16” X 63-13/16”	02-14160-2015	2.5 Lbs.
GD5-378	Common Anthony Doors	29-3/16” X 66-9/16”	28-1/16” X 65-3/8”	02-14160-2016	2.5 Lbs.
GD5-380	Common Anthony Doors	29-3/4” X 65-1/16”	28-5/8” X 63-7/8”	02-14160-2020	2.5 Lbs.
GD5-381	Common Anthony Doors	29-7/8” X 51-9/16”	28-1/4” X 50-7/16”	02-14160-2040	2.3 Lbs.
GD5-382	Common Anthony Doors	29-7/8” X 63-3/8”	28-1/4” X 62-3/16”	02-14160-2006	2.4 Lbs.
GD5-385	Common Anthony Doors	29-7/8” X 67-15/16”	28-1/4” X 66-3/4”	02-14160-2030	2.5 Lbs.
GD5-387	Common Anthony Doors	29-7/8” X 71-1/16”	28-1/4” X 69-7/8”	02-14160-2027	2.5 Lbs.
GD5-390	Common Anthony Doors	29-7/8” X 77-1/16”	28-1/4” X 75-7/8”	02-14160-2023	2.6 Lbs.
GD5-392	Common Anthony Doors	29-7/8” X 79-1/16”	28-1/4” X 77-7/8”	02-14160-2039	2.6 Lbs.
GD5-395	Common Anthony Doors	30-7/8” X 69-1/16”	29-3/4” X 67-7/8”	02-14160-2033	2.5 Lbs.
GD5-397	Common Anthony Doors	35-7/16” X 79-1/16”	34-5/16” X 77-7/8”	02-14160-2037	2.7 Lbs.

Supermarket Parts Warehouse stocks the Anthony Air-Cell style door Gaskets. However, certain sizes of the old single anvil style are in stock and all other sizes are available with a 3 week lead. Call today with any questions or a free quote.

Gaskets for Hussmann Innovator Doors



O.D. (Outside dimension) measurements from outside of Mag tube to outside of Mag tube

Stock No.	Used On	Hussmann Part #	Gasket Size (O.D.)	Color	Weight
GD5-405	Various Hussmann Models	1501397	23" X 72-11/16"	Black	2.5 Lbs.
GD5-410	Various Hussmann Models	461957	29-3/4" X 72-7/8"	Black	2.5 Lbs.
GD5-415	Hussmann - RL	4330101	29-3/4" X 65-1/4"	Black	2.5 Lbs.
GD5-420	Various Hussmann Models	461958	29-3/4" X 72-7/8"	Grey	2.5 Lbs.
GD5-425	Hussmann - RL	428563	29-3/4" X 65-1/4"	Grey	2.5 Lbs.

Gaskets for True Coolers

For Undercounter Cooler Doors

For Reach-In Cooler Doors



Measurement: D2D = Dart to Dart, OD = Outside Dimension

Stock No.	Gasket Size	Measurement	True Part #	Weight
GD5-600	23" X 26-1/4"	D2D	810809	1.5 Lbs.
GD5-605	23-7/8" X 25-5/16"	D2D	810812	1.5 Lbs.
GD5-610	26-1/4" X 29-1/4"	OD	810813	1.5 Lbs.
GD5-615	24-5/8" X 54-1/4"	OD	810802	2.0 Lbs.
GD5-620	25-3/4" X 54-1/4"	OD	810803	2.0 Lbs.
GD5-625	26-1/8" X 53-5/8"	OD	810719	2.0 Lbs.
GD5-630	8" X 29-3/8"	OD	810764	1.0 Lbs.
GD5-635	26-1/4" X 26-1/4"	OD	810810	1.5 Lbs.

Box Braces & Supports for Wire Shelves

Our line of wire shelving, single, and double posts are the best in the industry. The posts, shelves, & accessories in white and black are **NSF Approved**, with a heavier gauge metal than the OEM, at an extremely competitive price. In addition, save time and effort by using our double post system that can easily be installed by one person!

Stock No.	Description	Replaces Anthony Part #	Weight
BB1-100	Box Brace, White, For 29-13/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-100B	Box Brace, Black, For For 29-13/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-100G	Box Brace, Galvanized, For For 29-13/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-105	Box Brace, White, For 28-5/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-105B	Box Brace, Black, For 28-5/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-110G	Box Brace, Galvanized, For 28-5/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-110	Box Brace, White, For 26-5/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-110B	Box Brace, Black, For 26-5/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-110G	Box Brace, Galvanized, For 26-5/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-115	Box Brace, White, For 23-15/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-115B	Box Brace, Black, For 23-15/16" Wide Wire Shelves	N/A	7.0 Lbs.
BB1-115G	Box Brace, Galvanized, For 23-15/16" Wide Wire Shelves	N/A	7.0 Lbs.
SPA-100	Single Post, 84", White, For Wire Shelves	15-10840-1002	8.0 Lbs.
SPA-100B	Single Post, 84", Black, For Wire Shelves	15-10840-2002	8.0 Lbs.
SPA-100G	Single Post, 84", Galvanized, For Wire Shelves	15-10840-0002	8.0 Lbs.
SPA-200	Double Post, 84", White, For Wire Shelves	N/A	20.0 Lbs.
SPA-200B	Double Post, 84", Black, For Wire Shelves	N/A	20.0 Lbs.
SPA-200G	Double Post, 84", Galvanized, For Wire Shelves	N/A	20.0 Lbs.
WBC-100	Wall Brace to Secure Single Post to the Wall	N/A	2.0 Lbs.

SMPW Replacement Shelving
for Behind Glass Doors

- White or Black Powder Coat
- Multiple Sizes Available
- Will Fit Original Anthony Single Posts Manufactured After 1995
- Shelving can be Angled for Desired Position
- All Posts, Shelves, & Accessories in white or black are **NSF Approved**



Stock No.	Description	Replaces Anthony Part #	Weight
WSA-100	Wire Shelf, 29-13/16" X 27", White, Includes PTM	88-14531-1X010	11.0 Lbs.
WSA-100B	Wire Shelf, 29-13/16" X 27", Black, Includes PTM	88-14531-2X010	11.0 Lbs.
WSA-105	Wire Shelf, 28-5/16" X 27", White, Includes PTM	88-14531-1X009	11.0 Lbs.
WSA-105B	Wire Shelf, 28-5/16" X 27", Black, Includes PTM	88-14531-2X009	11.0 Lbs.
WSA-110	Wire Shelf, 26-5/16" X 27", White, Includes PTM	88-14531-1X008	11.0 Lbs.
WSA-110B	Wire Shelf, 26-5/16" X 27", Black, Includes PTM	88-14531-2X008	11.0 Lbs.
WSA-115	Wire Shelf, 23-5/16" X 27", White, Includes PTM	88-14531-1X007	11.0 Lbs.
WSA-115B	Wire Shelf, 23-5/16" X 27", Black, Includes PTM	88-14531-2X007	11.0 Lbs.
WSA-200	Wire Shelf, 29-13/16" X 36", White, Includes PTM	88-14674-1X004	16.0 Lbs.
WSA-200B	Wire Shelf, 29-13/16" X 36", Black, Includes PTM	88-14674-2X004	16.0 Lbs.
WSA-300	Wire Shelf, 29-13/16" X 24", White, Includes PTM	88-14531-1X005	10.0 Lbs.
WSA-300B	Wire Shelf, 29-13/16" X 24", Black, Includes PTM	88-14531-2X005	10.0 Lbs.
WSA-305	Wire Shelf, 28-5/16" X 24", White, Includes PTM	88-14531-1X004	10.0 Lbs.
WSA-305B	Wire Shelf, 28-5/16" X 24", Black, Includes PTM	88-14531-2X004	10.0 Lbs.
WSA-310	Wire Shelf, 26-5/16" X 24", White, Includes PTM	88-14531-1X003	10.0 Lbs.
WSA-310B	Wire Shelf, 26-5/16" X 24", Black, Includes PTM	88-14531-2X003	10.0 Lbs.
WSA-315	Wire Shelf, 23-5/16" X 24", White, Includes PTM	88-14531-1X002	10.0 Lbs.
WSA-315B	Wire Shelf, 23-5/16" X 24", Black, Includes PTM	88-14531-2X002	10.0 Lbs.

SMPW Behind Glass Door Shelving Accessories

Stock No.	Description	Replaces Anthony Part #	Weight
WPS-100	Wire Product Stop, Front/Rear,White, 30"W	85-10763-1005	1.0 Lbs.
WPS-100B	Wire Product Stop, Front/Rear,Black, 30"W	85-10763-2005	1.0 Lbs.
WPS-105	Wire Product Stop, Front/Rear,White, 28"W	85-10763-1004	1.0 Lbs.
WPS-105B	Wire Product Stop, Front/Rear,Black, 28"W	85-10763-2004	1.0 Lbs.
WPS-110	Wire Product Stop, Front/Rear,White, 26"W	85-10763-1003	1.0 Lbs.
WPS-110B	Wire Product Stop, Front/Rear,Black, 26"W	85-10763-2003	1.0 Lbs.
WPS-115	Wire Product Stop, Front/Rear,White, 24"W	85-10763-1002	1.0 Lbs.
WPS-115B	Wire Product Stop, Front/Rear,Black, 24"W	85-10763-2002	1.0 Lbs.
WD1-100	Wire Shelf Divider, White, 27"	80-10396-1006	1.0 Lbs.
WD1-100B	Wire Shelf Divider, Black, 27"	80-10396-2006	1.0 Lbs.
WD1-105	Wire Shelf Divider, White, 24"	80-10396-1008	1.0 Lbs.
WD1-105B	Wire Shelf Divider, Black, 24"	80-10396-2008	1.0 Lbs.

** *Additional Accessories may be Available* **

Evaporator / ECM / High Efficiency Fan Motors

Electronically Commutated Motors (ECM)

- Drop In 4 - 12 Watt Replacement Motor
- Cast Aluminum Frame
- ~66% Peak Efficiency
- For Use in Display Cases, Reach-In Coolers & Vending Machines
- Evaporator or Condenser Motors
- Universal 5 Hole Mount
- 51 fr Unit Bearing Motor
- Universal 5 Hole Mount
- Motor Rotation Determined by Looking at Motor from Rear

Stock No.	Watts	Volts	RPM/Speeds	Rotation	Shaft	Weight
ECM-100	4 - 12	115	1550	CW	1/4-20 Threaded	4.0 lbs.
ECM-200	4 - 12	230	1550	CW	1/4-20 Threaded	4.0 lbs.

ECM High Efficiency Drop In Replacements for Arneg & Hill Phoenix

- Drop In Replacement of Shaded Pole Motors
- Up to 70% Better Airflow than PSC Motors
- 4-5 Times more Efficient than Shaded Pole Motors
- Cooler Motor Operation
- IP65 Moisture Protection Grade
- 60,000 Hour Life Expectancy
- Totally Enclosed / All Angle / Long Life Sealed Ball Bearings
- -40°C +55°C
- 50/60 Hz
- M4 Studs on 3.72"
- B.C. for Shroud/Guard
- UL Recognized & CE Certified

Stock No.	Watts	Volts	RPM/Speeds	Rotation	Amps	Weight
ECM-350	12	115	1450	CW	0.18	1.60 Lbs.
ECM-400	15	115	1600	CW	0.22	2.15 Lbs.
ECM-500	10	115	1550	CW	0.19	1.65 Lbs.

High Efficiency Motors for Walk-Ins

Fit with **2 Pin Lyall Plug**

- Universal Drop In Replacement
- Totally Enclosed / Non-Vented
- Shaft Water Slinger
- Standard Thru-Bolt Configuration
- All Angle Mount
- Ball Bearing
- Automatic Torque Variation, constant speed
- Low Temp (-20° F) Lubrication System
- 50/60 Hz
- 1 Discrete Speed
- CUL (CE & PDE Pending) & UL Listed
- Thermally Protected

Stock No.	Watts	Volts	RPM/Speeds	Rotation	Amps	Weight
ECM-600	50	115	1550	CW	1.30	1.60 Lbs.
ECM-650	50	115	1550	CW	1.30	2.15 Lbs.
ECM-700	50	230	1550	CCW	1.30	1.65 Lbs.
ECM-750	50	230	1550	CCW	1.30	1.65 Lbs.

True Drop In Replacement For Any 9 Watt Shaded Pole Motor

Cross References to the most common Hill Phoenix, Hussmann, Tyler & Kysor Warren Model & Part #'s. ** 5 Watt Drop in Replacments Also Available ** Check out our website for our full line of replacement fan blades that come in a variety of sizes and pitches.



Fit with **2 Pin Lyall Plug**

Stock No.	Watt	Volts	RPM/Speeds	Rotation	Amps	Weight
FMA-900	9W	115	1550	CW	0.55	3.60 lbs
3.5 inch diam., enclosed, 3 tapped holes, shaded pole, threaded shaft, Lyall Plug 1/4" shaft						

Wellington ECM Fan Motors

Supermarket Parts Warehouse is a National Distibutor for Wellington Motors. Call us for Great Pricing on Discontinued Wellington Items in Addition to Anything you don't see here. We also Stock a Full Line of Replacement Fan Blades & Top Loading Baskets.

Wellington ECM Motor Specifications Include:

- Operates in Temperatures From -22° F to 104° F
- Complete Moisture Protection
- SMPW Defines all Motor Rotation as Opposite Shaft End
- Integrated Electronic Control
  - Switches to Standy Mode if Motor Fails to Start. Rotor/Stall Detection Automatically Restarts Motor in 60 Seconds.
  - Self Resetting Thermal Protection Stops Motor Automatically if Over-Heating Occurs

*Includes 2-Pin 90° Lyall Plug

ECR ONE ECM 115V Motors For Most Cases

- Available in 9W, 12W, and 16W
- 1550 RPM
- Standard 3.3" Motor Housing
- Special Features Include:
  - Timed Reverse: Reverses Rotation During Defrost, Keeping Coils Clean and More Efficient, Further Reducing Energy Consumption
  - Two Speeds for Day/Night Operation

Stock No.	Wattage	Voltage	RPM	Rotation	Amps	Wellington Part #	Weight
WM2-900	9W	115	1550	CW	0.23	ECR01A0241	1.90 Lbs.
WM2-120	12W	115	1550	CW	0.31	ECR01A0242	1.90 Lbs.
WM2-160	16W	115	1550	CW	0.41	ECR01A0243	1.90 Lbs.

*2-Pin Lyall Plug Available Separately to Splice to your Preferred Rotation

50W ECM Motor For Walk-Ins

- Available in 115V & 230V
- 1550 RPM
- 3 Wire Installation Allows for Reversible Rotation
- 2 Speed Motor also Available to Qualify for Many Rebates
- Integrated Electronic Control - Overload Detection Prevents Motor from Over Heating By Maintaining Torque Within a Preset Range

Stock No.	Wattage	Voltage	RPM	Rotation	Amps	Wellington Part #	Weight
WM1-500	50W	115	1550	CW/CCW	1.30	ECR950071	2.80 Lbs.
WM1-505	50W	230	1550	CW/CCW	0.63	ECR850071	2.80 Lbs.

*Includes 2-Pin 90° Lyall Plug

ECR92P ECM Motor

- 120V / 1800 RPM
- ECR92P is IP 55 Rated (Protected Against most Dust & Low Pressure Spray Jets from all Directions)
- Front Or Rear Mounted
- Features "UltraSynch" Technology: Motor Speed Remains Constant Regardless Of Power Supply Fluctuations

Stock No.	Wattage	Voltage	RPM	Rotation	Amps	Wellington Part #	Weight
WM3-100	16W	120	1800	CW	0.34	ECR92PJA12	2.00 Lbs.

Shelves for Refrigerated Door Cases

- Heavy Duty Steel Construction
- All Come Standard with Brackets & Price Tag Molding
- Full OEM Cross-Reference
- Load Capacity up to 250 pounds
- Insulated Bottom Pans & Bottom Racks also Available
- Available in Black or White Powder Coat & in an Assortment of Sizes

**** We offer many options for display case shelves and racks. Please check out our website for our full line and to request a catalog. On there you can also setup an account for easy online ordering. ****

Hussmann Hill Phoenix Kysor Warren Tyler Zero Zone



Hussmann

Stock No.	Dimensions	Description	Color	Weight
HR2-400	23.5” X 30.5”W	Bottom Rack w/ Lip	White	7.0 Lbs.
HR2-411	22” X 30”W	Shelf Rack w/ Attached Brackets	White	9.0 Lbs.
HR2-414	24” X 30”W	Shelf Rack w/ Attached Brackets	White	10.0 Lbs.
HR2-427	27” X 30”W	Shelf Rack w/ Attached Brackets	White	15.0 Lbs.
HS2-412	22” X 30”W	Solid Shelf w/ Attached Brackets	White	12.0 Lbs.
HS2-414	24” X 30”W	Solid Shelf w/ Attached Brackets	White	13.0 Lbs.
HS2-427	27” X 30”W	Solid Shelf w/ Attached Brackets	White	15.0 Lbs.

Hill Phoenix

Stock No.	Dimensions	Description	Color	Weight
HR2-300	23.5” X 30”W	Bottom Rack w/ Lip	White	8.0 Lbs.
HR2-308	22” X 30”W	Shelf Rack w/ Attached Brackets	White	11.0 Lbs.
HR2-314	24” X 30”W	Shelf Rack w/ Attached Brackets	White	12.0 Lbs.
HR2-327	24” X 30”W	Shelf Rack w/ Attached Brackets	White	14.0 Lbs.
HS2-309	22” X 30”W	Solid Shelf w/ Attached Brackets	White	12.0 Lbs.
HS2-311	24” X 30”W	Solid Shelf w/ Attached Brackets	White	13.0 Lbs.
HS2-327	27” X 30”W	Solid Shelf w/ Attached Brackets	White	15.0 Lbs.

Tyler

Stock No.	Dimensions	Description	Color	Weight
TR1-700	30.5” X 24-5/8”	Wire Bottom Rack w/ Lip	White	9.0 Lbs.
TR2-710	22” X 30.5”W	Wire Shelf Rack w/ Brackets	White	8.0 Lbs.
TR2-714	24” X 30.5”W	Wire Shelf Rack w/ Brackets	White	9.0 Lbs.
TR2-727	27” X 30.5”W	Wire Shelf Rack w/ Brackets	White	11.0 Lbs.
TS2-711	22” X 30.5”W	Solid Shelf w/ Brackets	White	12.0 Lbs.
TS7-713	24” X 30.5”W	Solid Shelf w/ Brackets	White	13.0 Lbs.
TS2-727	27” X 30.5”W	Solid Shelf w/ Brackets	White	15.0 Lbs.

Kysor Warren

Stock No.	Dimensions	Description	Color	Weight
KR2-810	22” X 30”W	Wire Shelf Rack w/ Brackets	White	9.0 Lbs.
KR2-814	24” X 30”W	Wire Shelf Rack w/ Brackets	White	10.0 Lbs.
KR2-827	27” X 30”W	Wire Shelf Rack w/ Brackets	White	12.0 Lbs.
KS2-811	22” X 30”W	Solid Shelf w/ Brackets	White	12.0 Lbs.
KS2-813	24” X 30”W	Solid Shelf w/ Brackets	White	13.0 Lbs.
KS2-827	27” X 30”W	Solid Shelf w/ Brackets	White	15.0 Lbs.

Zero Zone

Stock No.	Dimensions	Description	Color	Weight
ZZS-100	22” X 30”W	Solid Shelf w/ Separate Brackets	White	12.0 Lbs.
ZZS-124	24” X 30”W	Solid Shelf w/ Separate Brackets	White	13.0 Lbs.
ZZS-127	27” X 30”W	Solid Shelf w/ Separate Brackets	White	15.0 Lbs.
ZZR-100	22” X 30”W	Wire Rack w/ Separate Brackets	White	11.0 Lbs.
ZZR-124	24” X 30”W	Wire Rack w/ Separate Brackets	White	12.0 Lbs.
ZZR-127	27” X 30”W	Wire Rack w/ Separate Brackets	White	15.0 Lbs.

Shelves for Refrigerated Display Cases

- Heavy Duty Steel Construction
- Load Capacity up to 250 pounds
- All Come Standard with Brackets & Price Tag Molding
- Available in Black or White Powder Coat & in an Assortment of Sizes (Custom Sizes Available Upon Request)
- Full OEM Cross-Reference
- Metal Bottom Pans Available
- We also Carry Plexi and Wire Shelf Fencing

Hussmann



Hill Phoenix



Kysor Warren



Tyler



Hussmann

Stock No.	Dimensions	Description	Lighting	Color	Weight
HSL-220	20” X 48”	2-Position Shelf w/ Attached Light Kit	Lighted	White	22.0 Lbs.
HSU-220	20” X 48”	2-Position Shelf	Unlighted	White	18.0 Lbs.
HSU-221	20” X 36”	2-Position Shelf	Unlighted	White	17.0 Lbs.
HR1-210	24” X Adjustable	Flat Wire Bottom Rack w/ 18.5” Pin Gap (Adjusts up to 38-3/4”)		White	10.0 Lbs.

Hill Phoenix

Stock No.	Dimensions	Description	Lighting	Color	Weight
HSL-120	20” X 48”	2-Position Shelf w/ Attached Light Kit	Lighted	White	20.0 Lbs.
HSU-120	20” X 48”	2-Position Shelf	Unlighted	White	15.0 Lbs.
HSU-121	20” X 36”	2-Position Shelf	Unlighted	White	16.0 Lbs.
HR1-110	24” X Adjustable	Flat Wire Bottom Rack w/ 12” Pin Gap (Adjusts up to 38”)		White	10.0 Lbs.

Tyler

Stock No.	Dimensions	Description	Lighting	Color	Weight
TSL-720	20” X 48”	2-Position Shelf w/ Attached Light Kit	Lighted	White	22.0 Lbs.
TSU-720	20” X 48”	2-Position Shelf	Unlighted	White	18.0 Lbs.
TSU-721	20” X 36”	2-Position Shelf	Unlighted	White	17.0 Lbs.
TR1-710	23.75” X Adjustable	Flat Wire Bottom Rack w/ 21” Pin Gap (Adjusts up to 39-1/2”)		White	10.0 Lbs.

Kysor Warren

Stock No.	Dimensions	Description	Lighting	Color	Weight
KSL-320	20” X 48”	2-Position Shelf w/ Attached Light Kit	Lighted	White	22.0 Lbs.
KSU-320	20” X 48”	2-Position Shelf	Unlighted	White	18.0 Lbs.
KSU-321	20” X 36”	2-Position Shelf	Unlighted	White	17.0 Lbs.
KR1-310	24” X Adjustable	Flat Wire Bottom Rack w/ 18” Pin Gap (Adjusts up to 32-3/4”)		White	10.0 Lbs.

GreenWize Energy Solutions

ECM Fan Motor Controllers

While switching out the old standard fan motors to ECM Fan Motors is a great way to lower your energy costs, there is a key component missing which prevents these motors from maximizing their true energy savings potential. GreenWize Energy Solutions has developed a controller that fills that void by controlling the fan speed when refrigerant is not flowing through the evaporator coil. When the coil is not being cooled, the fan speed will slow down instead of turning off, which will allow for consistent temperatures inside the walk-in cooler and lower the need for the motors to run at normal speed for longer periods of time. This function allows for significant energy savings as the ECM driven fans use a fraction of energy when operating at a lower speed.

GreenWize Energy Solutions two-channel technology is completely universal and can control any type of programmed ECM Fan Motor. Equipped with a universal power module, there is no additional wiring necessary as the module allows for a range of input voltages. The GreenWize ECM Fan Control is the only fan motor controller you will ever need.

Combine GreenWize ECM Controllers with any of our 2-speed ECM Motors for **Maximum Energy Savings!**



Product Features & Advantages

- Up to 90% in Energy Cost Savings
- Reduces BTU: When Fan Controls are Used, Case Studies Show a Reduction in Duty Cycle
- Controls Multiple Evaporator Coils that Share a Common Selenoid to Save Equipment Costs
- State of the Art Technology to Control Fan Speed When the Evaporator Coil is not Being Refrigerated
- **Two Controller Options:** FC - When No Visible Thermostat is Present
  FCX - For Use with Visible Thermostat
- Rebate Eligible
- Conforms to UL Standard 873

Specifications

- Input: 90-264 VAC / 47-400 Hz
- Output: 1:+24 VDC PWM / 110 VAC
- 5.64" (L) X 3.26" (W) X 1.91" (H)
- Enclosure: POLYLAC ABS PA-765
- Operating Temp: -54°F to 194°F
- Supply Cord: 12 AWG, 4 Conductor, Type SOOW 600V 90 C UL/CSA
- Limited 3 Year Replacement Warranty

Stock No.	Description	Weight
EFC-100	ECM Fan Controller - For Non-Thermostat Applications	1.0 Lbs.
EFC-200	ECM Fan Controller - For Thermostat Applications	1.0 Lbs.

GreenWize Energy Solutions

Anti-Sweat Heater Control Systems for Low & Medium Temp Applications

Anti-sweat heaters are designed to keep condensation from building up on the glass doors of frozen food cases. When operating correctly these will do the job but the cost can be quite prohibitive because they are always on which will cause your energy costs to skyrocket. Fortunatley, Supermarket Parts Warehouse has a solution for you. We have partnered with GreenWize Energy Solutions to bring you a product that will help curb your energy costs by controlling the usage of the anti-sweat heaters.

With the simple installation of GreenWize's Anti-Sweat Heater Controllers, you'll be able to maximize the energy efficiency of your glass display doors. The ASHC have a two-channel technology which operates the door heaters independently from the frame and mullion heaters. Installation is a breeze since no additional wiring is necessary and with proper placement of the moisture sensors, you'll see maximum energy savings while assuring proper heater control.

GreenWize LT Control is the only Controller on the Market with a Dual Channel System Controlling the Frame & Door Heaters with One Controller! If you are Not Using this on Low Temp Cases, you are Missing out on **Significant Savings!**

Product Features & Advantages

- Up to 80% in Energy Cost Savings
- Uses a Digital Moisture Sensor to Activate Control
- Low Temp Applications
- Two-Channel Technology
- **PMC:** Programmed Maintenance Cycle: Activates the Frame & Mullion Heaters for 15 Minutes, then Activates the door heaters for 15 Minutes, once Every 3 Hours
- **Random Start Technology:** PMC will Cycle at Different Times on Different Cases. **** Even in a Loss of Power ****
- Selective Heater Activation
- Independent Case Control
- Rebate Eligible
- Trouble-Free Installation
- Maintenance Free



**** Use up to 80% less energy by turning on anti-sweat heaters only when condensation is present ****

Specifications

- Input: 110 VAC, 50-60 Hz
- Output: 110 VAC, 16 A Resistive (Heater Output)
- 5.64" (L) X 3.26" (W) X 1.91" (H)
- Operating Temp: -54°F to 194°F
- 12 AWG, 5 Conductor, Type SOOW 600V 90C UL/CSA Supply Cord
- POLYSAC ABS PA-765 Enclosure
- Limited 3-Year Replacement Warranty
- Exceeds UL & ULC Standards



Stock No.	Description	Weight
ASC-100	Low Temp Anti-Sweat Heater Controller	1.0 Lbs.
ASC-200	Medium Temp Anti-Sweat Heater Controller	1.0 Lbs.

In-Store Lozier Shelving

Supermarket Parts Warehouse has a full line of Lozier Display Components & Shelves through a stocking distributor. Whether you're looking to fit your entire store or simply replace a couple shelves, SMPW is here to help. Simply give us a call today for a free quote. Our customer service & fast turnaround are second to none. Lozier In-Store Shelving is the best in the industry and we are able to offer the most competive prices that can be found.

DISPLAY COMPONENTS



Uprite (A)
Back (B)
Rails (C)
Base Bracket (D)
Base Front (E)
Base Deck (F)
Uprite End Trim (G)
Base End Trim (H)
Shelf (I)



PLAN VIEW

SHELVES



SECTIONS



ISLAND SECTIONS WALL SECTIONS

NOTE: All dimensions are nominal. If exact dimensions are required, please contact Marketing.

Electrical Components

SMPW supplies a large selection of electrical connectors manufactured to OEM specifications. When used as replacements for existing case parts, wire length's and grommet sizes will fit without unnecessary hassle...saving you time, effort, and money.

Check out our website for anything you don't see here. We stock hundreds of items that are all available to ship the same day.

Plugs & Receptacles Available for:

- Hussmann
- Hill Phoenix
- Kysor Warren
- Tyler
- Many Other Applications



Lampholders & Switches



We Stock the Most Common Lampholders & Switches that are Used in Display Cases and Other Applications.

- For Medium Bi-Pin & Single Pin Lamps
- Double Contact Pedestals
- Snap-In Rocker, Push Button & Toggle Switches

Electronic Ballasts

- 1, 2, 3 or 4 Lamp Electronic Ballasts Available
- 120V
- For T8, T10 or T12 Lamps
- F32, F40, F58, F70, F72, F96 Lamps
- Works in Minium Temperature of -20°F
- Hight Output Ballasts also Available
- Full Cross-Reference to Anthony, Ardco & BC Lighting

LED & CFL Lighting Fixtures for Walk-Ins

- Unbreakable Lexan Globe Enclosure
- Non-removable thread stop adapter ensures sustainability
- 1-Lamp, 12 Total Watt, 120-240 VAC
- 945 Lumens Total Output
- 74 Lumens / Watt exceeds the requirements of the Federal Energy Act
- Rated 50,000 Hour Life
- No Mercury Whatsoever
- 5-Year Kason Limited Warranty on Fixture
- 3-Year Kason Limited Warranty on Lamps
- NSF Listed
- cULs Listed Lamps

GREENGUARD BY KASON INDUSTRIES

NSF LISTED

c UL us WET LOCATION



UL

NSF COMPONENT

Compact CFL Fixtures

- Save up to 75% in Energy Costs
- Lasts 10X Longer than 100W Incandescent Bulbs
- Clear Polycarbonate Globe
- -20° Instant Start Temperature
- Energy Efficient Alternative to Standard Fixture

Plumbing Components

Supermarket Parts Warehouse carries a full line of T&S Brass plumbing components for your kitchen and prep areas. All are made of the highest quality and most are designed to save water which will help you save on your energy costs. Some of the products we offer are:

- Deck & Wall Mount Pre-Rinse Assemblies
- Wall-Mounted & Sink Mounted Faucets
- Pre-Rinse Spray Valves
- Repair Kits & Cartridges
- Twist Waste Valves
- Gas Appliance Connectors
- Flexible Stainless Steel Hoses
- Lever & Wrist Action Handles
- Electronic Faucets
- Replacment Faucets & Nozzles

Kason Brand Door Hardware

Kason door hardware is the highest quality in the industry and we are able to offer the most competitvie prices available. Many items are stocked in our warehouse but all can be drop shipped the same day from Kason to anywhere in the country.

Walk-In Refrigerators & Freezer Hardware
- Latches & Handles
- Cam-Rise Reversible & Non-Reversible Hinges
- Inside Release Handles

Energy Saving Items
- Vinyl Curtains & Doors
- LED & CFL Lighting

Material Handling Equipment
- Casters & Equipment Legs

Check out our website to see our full line of Plumbing Components & Kason Door Hardware.

You can also request a free catalog and create an account to order online.

RAMI Thermoshield Night Blinds


Roll Down at Night

Roll Up During the Day

- Benefits Include Lower Energy Costs, Increased Shelf Life and Reduced Product Loss!! Not to Mention Lower Maintenance & Labor Costs!!

- Tested & Approved for Use on Many Major Refrigerated Display Cases, Such as:
  - Hussmann
  - Tyler
  - Hill Phoenix
  - Kysor-Warren
  - Arneg
  - Criosbanc
  - Detroit
  - Electrolux
  - Bonnet
  - Master-Built

SAVE UP TO 50 % IN ENERGY COSTS

- Fast Return on Your Investment. Will Pay for Itself in Less Than a Year!!
- Designed to Last for Years of Trouble-Free Operation!!
- Just Lower the Blinds at Closing Time & Start Saving Money Right Away!!

Refrigerator & Freezer Thermometers



Stock No.	Description	Dial Size	Weight
TV5-100	Front Flange Back Connect / Flush Mt. Bright SS Case w/ Dual Scale Dial	2" NSF	0.3 Lbs.
TS5-100	Clear Acrylic Housing w/ SS Ends, Spirit Filled Glass Tube, Completely Enclosed Hangs, Stands or Mounts	5" X 1.3" NSF	0.1 Lbs.
TD5-105	2.5" Solar Powered Digital Case Thermometer / Remote Sensor w/ 60" Lead, BLACK	4" X 1"	0.2 Lbs.
TS5-101	Refrigerator / Freezer Thermometer - Rectangular Plastic Housing, Spirit Filled Glass Tube, Completely Enclosed. Hangs or Clamps	3.5" X 5/8" NSF	0.1 Lbs.

3LB Series LED Light Fixtures

The 3LB Series is the Next Generation LED Light Fixture from 1 Source LED. This is the only universal LED light fixture that is designed for both Reach-In Door and Multi-Deck Display Case Shelf Lighting, as well as canopy lighting. Eligible for Tier 1 level rebates for most utilities, with DLC Certification. Fit with multiple mounting options, either magnets or clips, the 3LB is the easiest LED retrofit option on the market today. The 3LB Series is the future of LED case lighting and it's performace is unmatched by any competitor light fixture.

Product Specifications

- ETL Listed
- DLC Listed
- NICHIA LM80 Certified LED's
- IP 65 Rating
- Utility Tier 1 Rebate Performance
- 88 Lumens Per Watt & 80+ CRI
- 65,000 Hour Lifetime Rating
- Multiple Mounting Options (Clips, Magnets, or Brackets)
- 5 Year Warranty
- UL Listed LED Driver Power Supply
- Optional Dimming Controller
- Efficiency at less than 4 Watts per Linear Foot
- 3000K - 5500K Available. 4100K LED Lamp Standard
- Reach-In Door LED Sizes Range from 4 Foot - 6 Foot
- Display Case Shelf/Canopy LED Sizes Range from 2 Foot - 4 Foot



Competitor Fixtures | 3LB LED Fixtures

2LB Series LED Light Fixtures

The 2LB Series LED Fixture from 1 Source LED is a low power option for customers looking to take advantage of incentive rebates offered by utility companies. These are specifically designed for reach-in frozen food and beverage cases that currently have inefficient fluorescent lighting. By retrofitting all cases with 2LB LED Fixtures you can save up to 80% energy, while reducing maintenance costs and improving the quality of light.

Product Specifications

- 50,000 Hour Lifetime Rating / 5 Year Warranty
- Save up to 80% in Energy Costs Based on Light Efficiency & Heat Reduction
- Low Current / Low Power LEDs = No “Hot Spots”
- Available Separatley or in Complete 2, 3, 4, 5 and 6 Door Kits
- 56” and 68” LED Lamps Stocked and Available in 3500K or 4100K
- Dimming and Motion Sensors Available
- Durable Aluminum Construction with Tough Plastic
- ETL Listed
- Lighting Performance: 77 CRI & Up to 70 Lumens Per Watt
- UL Listed LED Driver
- Qualifies for many Rebates Offered by Utility Companies





TL Series LED Light Fixtures

The TL Series LED Lighting Fixtures from 1 Source LED are a multiple solution, energy efficient option to T8 and T12 fluorescent lighting. The 36 Volt LED Fixture is UL Listed and approved for installation in wet locations, such as for shelf lighting in refrigerated display cases. A higher 120 volt LED Fixture is a simple retrofit to existing fluorescent ceiling lighting in convenience stores and offices. By replacing the inefficient fluorescenet lighting with 1 Source LED Light Fixtures you can save energy, lower maintenance costs and improve the quality of light. Take advantage of this opportunity today and start saving money.

Product Specifications

- UL Listed
- Universal Line Voltage Model Operates at 100-277VAC with Internal Driver
- 4' LED Tube Light Voltage 100-277VAC Model Operates at 15 Watts / 1600 Lumens
- Low Voltage 24VDC Model Operates at 36VDC with External Constant Current Driver for Case Lighting
- 4' LED Tube Light Low Voltage 36VDC Model Operates at 20 Watts / 2200 Lumens
- Up to 60% Energy Savings Based on Lighting Efficiency & Heat Reduction
- Up to 84 CRI & 110 Lumens Per Watt
- Quiet Operation / No Flicker
- 50,000 Hour Lifetime Rating
- 5 Year Warranty
- LM79 & LM80 Certification
- Medium Bi-Pin, Single Pin & High Output Lamp Ends Available
- Rotating Field Adjustable Lamp End Option
- Dry & Wet Location Options
- 2700K - 6100K



High Performance LED Exterior Lighting

LED Gas Station Canopy & High Bay Fixtures

Before Retrofit: 250 Watt PSMH
AVG 35 Candle Meter Reading

After Retrofit: 89 Watt LED
AVG 50 Foot Candle Meter Reading

- **70 % Total Energy Savings**
- **40% Improvement in Light Levels**
- **24 Month ROI**

If you're looking for an easy retrofit of your gas station canopy lights, look no further than our 1 Source LED Gas Station Canopy Fixtures. Their flush mounted, high perormance LED fixtures are a breeze to install and are the most energy efficient on the market. Only the latest generation Philips Lumified Rebel ES, CREE and NICHIA LEDs are used on the fixtures. Start lowering your energy costs today and take advantage of the many rebates that are available.

- 80-90 Lumens Per Watt
- Replaces up to 320/400 Watt Metal Halide Light Fixtures
- Energy Savings up to 80% Based on Lighting Efficiency & Heat Reduction
- 5 Year Warranty
- 50,000 Hour Lifetime Rating
- ETL & UL Listed
- Lighting Design Lab Approved
- DLC Approved
- Easy Installation

DESIGNLIGHTS CONSORTIUM

CLASSIFIED C UL US

ETL LISTED C US

High Performance LED Exterior Lighting



LED Parking Lot & Wall Pack Lighting Fixtures

1 Source LED High Performance LED Exterior Lighting is an energy saving option for inefficient street and parking lot lighting. They are designed to easily install in new and retrofit applications and are the brightest, most energy efficient LED lighting fixtures on the market. Replace your old lighting on your exterior walls and parking lots today to take advantage of energy savings, which will decrease your maintenance costs while increasing the performance of your lighting.



Before LED Street Light Retrofit

After LED Street Light Retrofit

SM Series - LED Sign Modules

LED Sign Modules from 1 Source LED are a new generation style designed for retrofit & new sign installations. They are simple to install and will save energy, lower maintenance costs and improve the lighting within your signs.

- For Channel Letters & Signs
- White or Red LED color
- IP65 & IP67 LED Power Supplies Available for Outdoor Usage
- Medium or Low Power Sign Modules
- 15 - 20 Modules Per String / 8' - 15' String Length
- 160° - 120° Beam Angle

PL Series - LED Panel Lights

PL Series Panel lights from 1 Source LED are designed to replace existing fluorescent lighting in ceilings in either surface mount or recessed mounted fixtures. These low profile LED lights are easily installed and will save energy, lower maintenance costs and improve the quality of light.

- UL Listed
- Low Voltage 36VDC Constant Current LED Driver
- 2' X 2' Panel Lights Operates at 45 Watts / 3240 Lumens
- Up to 60% Energy Savings Based on Lighting Efficiency & Heat Reduction
- Up to 80 CRI & 72 Lumens Per Watt
- High Brightness with Uniform Lighting Distribution Over the Surface of the Panel
- Quiet Operation / No Flicker
- Frosted Lens
- 50,000 Hour Lifetime Rating
- 5 Year Warranty
- 1' X 1', 1' X 2', 1' X 4', 2' X 2' & 2' X 4' Available
- 3000K, 3500K, 4100K, 5000K, 6100K Available

High Performance LED Lamps

The High Performance LED Lamps from 1 Source LED are designed for new or retrofit applications for a number of locations. If you're looking for a high quality LED lamp for your stores, or even your home or office, Supermarket Parts Warehouse has you covered. By using the latest technology, the High Performance LED Lamps can save up 70% on energy costs, as well as reduce maintenance costs and increase lighting performance.

Product Specifications

- UL Listed
- Rebate Eligible
- Energy Star Certified
- Advanced LED Driver Technology
- Precision Thermal Heat Sink Engineering Design
- Lighting Performance at 80-86 CRI
- High Brightness with Uniform Beam Angles
- Quiet Operation / No Flicker
- 50,000 Hour Life when Switched / 35,000 Hour Life When Unswitched
- 3 Year Warranty
- Dimmable
- 3000K Color Temperature (2700K - 6100K May be Available)
- 120VAC voltage

PAR

MR16

GU10

A19

B11

Stock No.	Description	Bulb Type	Weight
LED-PAR16	5.5W, 320 Total Lumens, 38° Beam Angle	PAR16	1.0 Lbs.
LED-PAR20	7W, 400 Total Lumens, 40° Beam Angle	PAR20	1.0 Lbs.
LED-PAR30	14.9W, 800 Total Lumens, 40° Beam Angle	PAR30	1.5 Lbs.
LED-PAR38	20W, 1200 Total Lumens, 40° Beam Angle	PAR38	2.0 Lbs.
LED-BR30	15W, 865 Total Lumens, 120° Beam Angle	BR30	1.5 Lbs.
LED-GU10	6.5W, 320 Total Lumens, 38° Beam Angle	GU10	1.0 Lbs.
LED-MR16	6.5W, 350 Total Lumens, 38° Beam Angle	MR16	1.0 Lbs.
LED-B11	5W, 300 Total Lumens, 38° Beam Angle	B11	1.0 Lbs.
LED-G25	8W, 500 Total Lumens, 38° Beam Angle	G25	1.0 Lbs.
LED-8W19120	8W, 480 Total Lumens, 120° Beam Angle	A19	1.0 Lbs.
LED-8W19300	8W, 450 Total Lumens, 300° Beam Angle	A19	1.0 Lbs.
LED-12W19	12W, 800 Total Lumens, 300° Beam Angle	A19	1.0 Lbs.

CIT200 Series LED Fixtures for Walk-Ins

FULLY ENCLOSED LUMINAIRE FOR MULTIPLE TEMPERATURE APPLICATIONS



CROSS SECTION



Product Features & Specifications:

- 6-3/4" Width, Fully Gasketed Enclosure for LED T8 Light Tube
- Fiberglass Housing and Polycarbonate Latches Standard
- 2 LED T8 Lamps Included in Fixture, Single Lamp Fixtures Available
- Each 4' Fixture Has 1590 Lumens per Lamp at 15W, for an astounding **106 Lumens Per Watt!**
- Fixture Also Available in 2' and 8' Lengths
  -Stainless Steel Mounting Brackets, Stainless Steel Latches, and Tamper Proof Screws Also Available
- Polycarbonate Ribbed Lens (2' and 4' Model Only)
  -High Impact Ribbed Acrylic Lens and Window Clear Lens Also Available (4' and 8' Models Only)
- The CIT200 Series can be used in a variety of Applications, Cold Temperatures and Wet or Damp
- This fixture is perfect for Walk-in Coolers and Freezers!
- Simple to Install
- Products In Accordance With **UL, IP65, ETL, NSF**
- Qualifies for Many Rebates Offered for LED Lighting Conversions!
- **5 Year Warranty** On LED Lamps

Kit Fixture Includes TL Lamps

Stock No.	Description	Weight
CIT-200-2FT-KIT	2 Foot CIT Fixture, Clear Lens. Two TL2-UNV-41K Lamps Included	9.5 Lbs.
CIT-200-4FT-KIT	4 Foot CIT Fixture, Clear Lens. Two TL4-UNV-41K Lamps Included	21.0 Lbs.
CIT-200-8FT-KIT	8 Foot CIT Fixture, Clear Lens. Four TL4-UNV-41K Lamps Included	35.0 Lbs.

**** All Fixtures Available with Fewer Lamps as a Lower Cost Option ****

Notes

SMPW Sales Order Form

Vendor: **Supermarket Parts Warehouse**

Attn: _____

Address: PO Box 368 / 510 Wild Turnpike
Mountaindale, NY 12763

Contact Person: _____

Phone: (800) 767-9855
Fax: (845) 436-7677

Ship to:

Company: _____

Street Address: _____

City/State/Zip: _____

Attention: _____

Contact #: _____

Shipping Method: _____

Item No.	Description	Qty.	Unit	Unit Price	Total
Special requirements / instructions:		**TOTAL AMOUNT** *(Shipping/Handling Prepay & Add)*			$

Charge To: (Visa, American Express, Mastercard, Discover) _____ **Exp. Date**___/___

Bill My Account (Acct Name Or #)_____

Print Name _____ **Contact #**_____ **Date** _____

Purchase Order #_____

Fax or Sign-Up Online - 24 Hour Fax - (845) 436-7677

CREDIT APPLICATION

Company Name: _____
Street Address: _____
Mailing Address: _____
City: _____
State: _____
Zip: _____
E-Mail Address: _____

Date Submitted: _____
Date Approved: _____

Tax ID#: _____
Contact: _____
Phone: _____
Fax: _____
E-Mail: _____

1. NAME OF PARENT COMPANY, IF SUBSIDIARY:

_____

2. TYPE OF BUSINESS:

_____

3. YRS. AT PRESENT LOCATION: _____

4. YEAR ESTABLISHED: _____

5. IS THIS BUSINESS INCORPORATED? Y / N

6. IF YES, IN WHICH STATE? _____

7. YOUR USUAL PAYMENT SCHEDULE IS:

Credit Card 30 DAYS 60 DAYS

8. OWNER & OFFICER NAMES & ADDRESSES:

OWNER: _____
_____
_____
OFFICER: _____
_____
_____
OFFICER: _____

Each invoice is due according to the following terms:
If not paid in full within 30 days, credit terms are subject to review
*Supermarket Parts Warehouse is hereby authorized to substantiate and investigate the information contained on this application and to report purchaser's performance of this agreement as interested party as permitted by law.
Credit is Reviewed Every 6 Months.

CREDIT CARD INFORMATION (IF NOT SEEKING CREDIT TERMS ONLY)

TYPE: _____
CARD #: _____
EXPIRATION DATE: _____
BILLING ADDRESS: _____

9. REFERENCES:

TRADE

COMPANY: _____
ACCOUNT #: _____
CITY/STATE: _____
PHONE: _____
FAX: _____

COMPANY: _____
ACCOUNT #: _____
CITY/STATE: _____
PHONE: _____
FAX: _____

BANK

BANK: _____
ACCOUNT #: _____
CITY/STATE: _____
PHONE: _____
FAX: _____
CONTACT: _____

All of the above information will be kept confidential and will be used only to make a determination of credit worthiness. I hereby certify that the above information is correct and should be relied upon to the stated purpose. I further certify that I full understand the terms of credit as offered by Supermarket Parts Warehouse Inc., and agreed to prompt payment in consideration of any extended credit. My signature below authorizes release of credit information from the above listed sources.

By: _____
Print Name and Title

_____
Signature

_____
Signature (Individually)

Supermarket Parts Warehouse

SUPERMARKET PARTS WAREHOUSE IS:

- Your one stop shop for replacement parts for all major OEM refrigerated display cases including: Case Shelving, Defrost Heaters, Door Hardware, Replacement Door Gaskets, Electical Components, Fan Motors, Fan Blades, Honeycomb, LED Lighting Fixtures, Thermometers, and more!
- Your partner in energy management. See how we can help you save money on energy while making stores as energy efficient as possible!
- The one place where you can find all this plus in-store accessories, custom re-design options, and much more, all while saving you hassle, time, and money!!

SUPERMARKET PARTS WAREHOUSE | 510 WILD TURNPIKE | MOUNTAINDALE, NY 12763
PHONE: 800.436.6000 | FAX: 845.436.7677 | TOLL FREE: 800.767.9855
ORDER ONLINE: WWW.SMPW.COM